

# TITAN

## GARDEN BUILDINGS

Part of the Challenge Fencing Group

**BESPOKE AS STANDARD**



### SHEDS PRICE LIST 2021-22

All Prices Include VAT

THE SHED FACTORY  
PORTSMOUTH ROAD, RIPLEY  
SURREY GU23 6EW  
TEL: 01483 224186

[titangardenbuildings.com](http://titangardenbuildings.com)  
[ripleysales@challengefencing.com](mailto:ripleysales@challengefencing.com)

## SHEDS, SUMMERHOUSES AND LOG CABINS.

Any Size Any Shape

- All our work carries a year's guarantee covering manufacturing defects & installation.
- 25 year life expectancy against rot with our pressure treated timber.
- We use the highest quality ironmongery including Stainless Steel Nails.
- We can paint your shed for you as an optional extra.
- You will benefit from our very experienced staff to help & advise you, to find the best product to suit your space and budget. Staff with three decades of knowledge to engineer & design the best buildings for you.
- Since 1945 local craftsmen have been manufacturing quality garden buildings on this site.
  - We have supplied thousands of quality garden buildings to customers including embassies, royalty, MOD, sports associations, councils, schools, golf clubs, cricket clubs & building companies.

Comments from our customers: for our latest testimonials, please see [titangardenbuildings.com](http://titangardenbuildings.com)

***"Fantastic** - Fantastic service from purchase to installation. Very helpful and polite. Thank you."*

***"All Good** - We were very pleased with the quality of the shed. The service was excellent & the installation teams were friendly & excellent. All Good!."*

***"Very Professional** - Friendly, helpful service in Ripley when ordering. Fitted on time and very professional. No hesitation recommending Titan.."*





# CONTENTS



PAGE 6

SURREY SHED



PAGE 7

WORKSHOP



PAGE 7

SECURITY SHED



PAGE 8

SUPER APEX SHED



PAGE 8

SUPER PENT SHED



PAGE 9

STORAGE SHEDS



PAGE 10

SOLAR POTTING SHED



PAGE 10

GARDEN CABANE



PAGE 11

ABINGER SUMMERHOUSE



PAGE 11

CHILWORTH SUMMERHOUSE



PAGE 12

CORNER CABIN



PAGE 13

WALLS AND FLOOR OPTIONS



PAGE 14 & 15

WINDOW & DOOR OPTIONS



PAGE 16

ROOF OPTIONS



PAGE 17

ACCESSORIES



PAGE 17

WOODEN BASES



PAGE 18

TREATMENT



PAGE 19


DELIVERY

# BESPOKE SHEDS

If the shed you are looking for is not shown in the price list, we do offer an exclusive custom made shed designed to your own personal specification.

For details please provide a diagram, (using the grid on the back page) with dimensions of the building in which you are interested, or the building that you would like to customise.

Our design team will then prepare a quotation tailored to your specification.





# TIMBER

All our timber is Pressure Treated, providing up to 25 years life against timber decay and insect attack. The timber we use is a Redwood species sourced from the best northern Scandinavian mills ensuring better looking stable wood from a Renewable Resource.

Our overlap are extended at twice the normal length providing a better seal all around the shed, allowing for sufficient movement.

*We recommend that you treat the shed with a high quality wood protector to waterproof the building.*

Please see page 18 for advice on treatments and recommended clearances around your Shed/Summerhouse.



**12mm x 120mm planed finish size.**

Shiplap, offering a resilient structure with excellent strength and security. The planed surface gives a great paint surface and has no splinters.




**20mm x 95mm planed finish size.**

Loglap, with a profile designed to emulate a Traditional Log Cabin. This is Ideal for summerhouses, offices and buildings of regular occupancy.

**All timber sizes are finished sizes for bespoke buildings.**

## BASE CONSTRUCTION



We recommend either a wooden, concrete or paving slab base. The provision of a flat & level base is absolutely essential to attaining a long-lasting secure shed. We can provide you with a wooden base or contacts who will lay a concrete or slab base, install electrics or paint the building for you.

If you have any questions about the correct base size, type of base or anything else, please do not hesitate to ask. It is essential we have the correct information to make the process seamless for you.

## BEARERS WITH DPC

Bearers with Damp Proof Course. Our bearers are tanalised wood - 45mm x 70mm.

We recommend these on all installations as it provides a physical barrier against water ingress into the shed from below the floor.

# SURREY SHED



This limited range offers ultra strong and robust heavy duty garden sheds. This no nonsense shed offers a building for multi purpose use.



The construction features a 19mm (nominal) cladding and a 25mm x 125mm (nominal) roof and floor in tanalised wood offering a building with an excellent life expectancy.

To achieve this competitive pricing we offer this in 4 sizes with no variation.



They come with polyester roofing felt, fitted with a Pad Bolt and two Turn Buttons. The doors can be hung on either end.

The 6 x 4, 7 x 5 and 8 x 6 has 1 fixed window.  
The 10 x 8 model has 2 fixed windows.

These are standard sheds. All sizes have an Apex Roof, except the 7x5 which has a Pent Roof.



## MODELS





# WORKSHOPS



The Workshop provides a great quality shed offering 5 inches extra height and good access, and is clad with 12mm shiplap.

Full height double security doors with a Continuous Security Hinge and a Long Throw Security Lock (comes with 5 keys) offering the most secure shed door on the market. The handle comes in Black.

The window options are only limited by the size of the building.

These are bespoke sheds. Customised sizes and options are available.



Security Lock



Air Vented




Fixed Window



Double Security Door



Security Lock Handle



44mmx44mm Frame  
(1 3/4" x 1 3/4")



12mm T&G Roof & Floor



Polyester Roof Felt

# SECURITY



A great solution for care of those valuable tools or bikes etc, this pressure treated shed is designed for improved security.

The high level fixed windows allow daylight in whilst not permitting intruders.

The door is strongly constructed with a Continuous Security Hinge and a Long Throw Security Lock (comes with 5 keys) offering the most secure shed door on the market. The handle comes in Black.

These are bespoke sheds. Customised sizes and options are available.



Security Lock



Air Vented



Security Windows



Single Security Door



Security Lock Handle



44mmx44mm Frame  
(1 3/4" x 1 3/4")



12mm T&G Roof & Floor



Polyester Roof Felt

# SUPER APEX & SUPER PENT

## APEX ROOF



The Super Sheds are our flagship with a wide range that gives you a host of variations to ensure you maximise whatever space and access you have.

All sheds are custom made to your specification, you can have the door and windows wherever you wish. We have a host of optional extras: including extra height, various roof covering options, lining and insulation, extra strong floors, partitions and various joinery door and window options.

The window options are only limited by the size of the building, and all doors are hung on the right unless specified by the customer.

The price includes two fixed windows and a single door.

These are bespoke sheds. Customised sizes and options are available.

## MODELS




model ag




model al




model ah



model ar



Air Vented



Fixed Windows



1800mmx735mm Door  
(5'11" x 2'5")



35mmx35mm Frame  
(1 3/8" x 1 3/8") up tp 10x7



44mmx44mm Frame  
(1 3/4" x 1 3/4") 10x8 onwards



12mm T&G Roof & Floor



Polyester Roof Felt

## PENT ROOF



Pent sheds are built to the same high specifications as our super apex models.

The monopitch allows for a greater variety of customisation and is ideal in more restricted areas where drainage to one side is required.

These are bespoke sheds. Customised sizes and options are available.

## MODELS



model pe



model pa



model pd



model pf



model pc



model pb



lean-to




# TOOL STORE



The Tool store provides excellent storage solutions for those lawn mowers, spades, forks and hoes etc.

A storage shed with double doors in the front as standard is ideal for small gardens and can be assembled close to a wall if the pent roof slopes from back to front.

These are bespoke sheds. Customised sizes and options are available.



35mmx35mm Frame  
(1 3/8" x 1 3/8")



12mm T&G Roof & Floor



Polyester Roof Felt



Store Shed Door

# SECURITY STORE




The Security Store provides a strong but compact, heavy duty storage unit, ideal for storing bikes and valuable garden equipment.

The building can be configure to the space available and is constructed using 44mm x 44mm framing and security doors with a Continuous Security Hinge & a long Throw Security Lock.

This is a Bespoke Shed.

These are bespoke sheds. Customised sizes and options are available.




Security Lock



Air Vented



Polyester Roof Felt



Store Security Door



Security Lock Handle



44mmx44mm Frame  
(1 3/4" x 1 3/4")



12mm T&G Roof & Floor

# SOLAR POTTING





Enjoy the rewards of your own planting with our versatile building.

The solar potting shed is the perfect answer when you want a secure greenhouse. It comes with a stable door as standard for ventilation and a sturdy workbench beneath the sun trapping glass.

The stable doors are positioned with the hinges facing the rear wall on both models.

**These are bespoke sheds. Customised sizes and options are available.**



Air Vented



Large Windows + Bench



Stable Door



35mmx35mm Frame  
(1 3/8" x 1 3/8")



12mm T&G Roof & Floor



Polyester Roof Felt

## MODELS



model SPR



model SPL

# GARDEN CABANE




Garden Cabane's offer the versatility of a shed combined with a summerhouse look. Ideal as an economical summerhouse or simply as an unusual but attractive garden shed.

The Garden Cabane includes a 1 foot roof overhang and two fixed Georgian style windows.

Sizes shown in the price list are the body of the building which excludes the 1 foot overhang.

The door will be hung from the right unless specified by the customer.

**These are bespoke sheds. Customised sizes and options are available.**



Air Vented



Fixed Georgian Window



1800x735mm Shed Door  
(5'11" x 2'5")



35mmx35mm Frame  
(1 3/8" x 1 3/8")



12mm T&G Roof & Floor



Polyester Roof Felt



# ABINGER SUMMERHOUSE



Enjoy the benefits of summer all year round with our Abinger model which we can design to suit your requirements.


Georgian doors with two fixed windows on the front and opening Georgian windows on each side as standard. Two styles are available but we can always tailor a bespoke Summerhouse to your particular needs.

Doors come with a 3 lever lock and two keys.

The Abinger has a 2 foot roof overhang. Sizes shown in the price list are the body of the building which excludes the 2 foot overhang.

Summerhouses over 9' wide come with a double door (HG6PR).

These are bespoke sheds. Customised sizes and options are available.



3 Lever Lock



Air Vented



Georgian Windows



Georgian Door



35mmx35mm Frame  
(1 3/8" x 1 3/8")



12mm T&G Roof & Floor



Polyester Roof Felt

# CHILWORTH SUMMERHOUSE



The Chilworth includes a 3 foot roof overhang and veranda.


Georgian doors with two fixed windows on the front and opening Georgian windows on each side as standard. Two styles are available but we can always tailor a bespoke Summerhouse to your particular needs.

Doors come with a 3 lever lock and two keys.

In the price list we quote for the body of the building, always allow 3' extra for the veranda.

On the first dimension e.g. 6 x 6 will actually be 9 x 6 overall. Summerhouses over 9' wide come with a double door (HG6PR).

These are bespoke sheds. Customised sizes and options are available.



3 Lever Lock




Air Vented



Georgian Windows



Georgian Door



35mmx35mm Frame  
(1 3/8" x 1 3/8")



12mm T&G Roof & Floor



Polyester Roof Felt

# CORNER CABIN



Consider a Corner Cabin when a compact summerhouse is desired.

If you have a corner that you wish to utilise better, then consider one of our corner cabins built to order. They come in two standard styles, Georgian and Plain glass versions.

Both the Georgian and plain glass come with a 3 lever lock and two keys.

These are bespoke sheds. Customised sizes and options are available.

**HEIGHT**

1.55m (5'10") - Eaves  
2.19m (7'2") - Ridge

3 Lever Lock

Air Vented

Framed Joinery Window


Framed Joinery Door

35mmx35mm Frame  
(1 3/8" x 1 3/8")


12mm T&G Roof & Floor

Polyester Roof Felt


## MODELS



plain glass



georgian framed glass



NOMINAL SIZE		FLOOR SIZE/INCHES		
IMPERIAL	METRIC	A	B/C	Y
6X6	1.83X1.83	53	34	71
7X7	2.13X2.13	52	46	82
8X8	2.44X2.44	53	57	94



# WALL & FLOOR OPTIONS



Standard




Extra Height

## Extra Height

For the taller person, or in cases where there is a particular requirement. Extra height comes in increments of 5". Ideal for garden offices.

Standard height of our buildings is 6'3" (1.91m) to 7'1" (2.16m) to the Ridge.


5" (127mm) = 5% of the Super Shed list price  
10" (254mm) = 10% of the Super Shed list price



## Heavy Duty Flooring

Heavy Duty 19mm Tongue and Groove flooring boards. Suitable for motor bikes, sports equipment and appliances.

Price = 10% of the Super Shed list price



## Insulation

Thermal insulation with plywood lining on 2"x2" framing, includes walls & roof. All the lining is nicely finished with 2" wooden trimming.

Price = 40% of the Super Shed list price

## Double Glazing

Double glazed windows and doors.

Price = POA




## Partitioning

Sub-divide your building with 12mm shiplap partition.


Price = POA

# WINDOW OPTIONS


## FIXED WINDOWS




Fixed Window  
1'8" x 1'3"  
506 x 435  
As many windows  
Free of Charge



Deep Fixed Window  
2'8½" x 1'3"  
830 x 380




CG6  
3'4" x 1'6¾"  
1010 x 475




CG9  
3'4" x 2'3"  
1010 x 685


## OPENING WINDOWS




Standard  
1'10½" x 1'6"  
570 x 465



Deep  
2'11" x 1'6"  
900 x 465




CG6  
3'5" x 1'8"  
1040 x 510




CG9  
3'5" x 2'4"  
1040 x 715


## GLAZING




Replacement Glass  
3mm




Toughened Glass  
3mm  
most sizes



Plexiglass Plastic  
2mm  
ideal for  
Wendy Houses




Diamond Glazed




Double Glazed  
14mm  
Door/Window


# DOOR OPTIONS




Additional Shed Door  
5'10" x 2'5" (1780 x 730)




Wide Shed Door  
5'10" x 3'0" (1780 x 915)




Double Shed Door  
5'10" x up to 6'0" (1780 x 1830)




(Single Door) Security Package  
5'10" x 2'5" (1780 x 730)




(Wide Door) Security Package  
5'10" x 3'0" (1780 x 915)



(Double Door) Security Package  
5'10" x up to 6'0" (1780 x 1830)



Stable Door  
5'10" x 2'2½" (1780 x 700)




2XG\*  
5'10" x 2'5½" (1780 x 775)

\*please note that all doors in the 2XG series have two panels which can be either glass or timber.


This allows for a fully glazed, boarded or half glazed door.



HG9  
5'10" x 2'5½" (1780 x 755)




FG15  
5'10" x 2'5½" (1780 x 775)




2XGPR\*  
5'10" x 3'6" (1780 x 1090)



HG6PR  
5'10" x 3'6" (1780 x 1090)




FG10PR  
5'10" x 3'6" (1780 x 1090)



2XGPRW\*  
5'10" x 4'11" (1780 x 1520)



HG9PR  
5'10" x 4'11" (1780 x 1520)



Garage Door  
6'6" x 7'0" (1980 x 2135)

Single doors can be hinged on the left or right

Dimensions shown are for the door size.



# ROOF OPTIONS



## DIY Roofing Felt - Sold Per Roll - Ex Factory

### Standard Roof Felt - Coloured Green

Up to 5 Years Life Expectancy

10 x 1m Roll

20 x 1m Roll

### Heavy Duty Roof Felt - Coloured Green

Up to 10 Years Life Expectancy

10 x 1m Roll



## Installed Building Felt Roof Options

Standard	Up to 5yrs Life Expectancy	Included.
Heavy Duty	Up to 10yrs Life Expectancy	Add 10% to shed list price

## Re-Felting Of Roof

Standard	Shed Size = Erection Fee	+ 25%
Heavy Duty	Shed Size = Erection Fee	+ 50%


*Unusual shapes & non standard*

POA



Felt Tiles	Colour	Life
3 sq metre pack (32 sq ft)	Red/Green/Black Grey.	20yr
<b>Installation</b>		

*Please note: Sold by the pack.*



Cedar Shingles	Colour	Life
----------------	--------	------

2.33m2 pack (25 sq ft)	Western Red Cedar	50yr
------------------------	-------------------	------

**Installation** on top of standard roofing felt

*The most durable and attractive roof cladding we offer.*

**Please Note:** This is not suitable for Pent or Flat Roofs.

# ACCESSORIES



## Guttering

Gutter, end caps, downpipe and fixings - Supplied and Installed.

Guttering can increase the life of your shed or building and can be fitted to a water butt to provide an easy way of collecting rainwater.

Guttering 4', 5', 6', 7'

Guttering 8', 9', 10', 11'

Guttering 12', 13', 14', 15'

Guttering 16', 17', 18', 19'

Guttering 20', 21', 22', 23'



## Shelving

Load Bearing Shelf (a choice of either 13" or 18" or both)

Length 3', 4', 5'

Length 6', 7', 8'

Length 9', 10', 11', 12'

*Supplied with galvanised steel brackets.*

## Workbench

Load Bearing Shelving (24" width)

Length 3', 4', 5'

Length 6', 7', 8'

Length 9', 10', 11', 12'



## Aluminium Garden Tool Rack

Supplied with 5 black rubber clamps

# WOODEN BASES



## Standard Wooden Bases

Wooden bases are a quick, no mess method which allow good air flow under your garden building to keep the floor damp free.

The timber bases are made from C24 graded pressure treated timbers set on recycled plastic posts using rust proof coated screws. The timber is not in ground contact.

They can be levelled up to 600mm and the posts are no more than 850mm apart.

## Heavy Wooden Bases

Heavy Duty Wooden bases are suitable for Log Cabins and Lugarde Summerhouses.

The plastic support posts are concreted into the ground.



# TREATMENT



Although the garden building is treated for fungal infection & insect attack, it will still need to be protected from the elements by applying a water repellent wood protector. (Oil or water based). This is best done on a dry day as soon after installation as possible.


We do offer a factory dry environment painting service using our Crysolite range only. We offer 4 colours, Red Cedar, Dark Oak, Light Oak and Green.

We can offer a painting service after installing the building using the colour of your choice.




**Oil Based High Performance Wood Protector**  
Dark Oak, Green, Light Oak, Red Cedar

5.0 Litre



## Location

We recommend that sheds should be installed with at least 300mm 1' of clearance on all sides.



To maximise the life of the shed, we would recommend you install it at least 600mm from the boundary to allow access for painting.



# DELIVERY ZONES

## GUIDE ONLY





## DELIVERY CHARGES

We charge delivery based on the distance traveled (Google Maps). The zones in the map above are used as guidelines and set at distances of 10 miles, 15 miles and 20 miles. Delivery to places not listed is priced on application.

All London postcodes are priced on application.

Please inform us if the delivery will pass through a congestion charge zone; this will affect the delivery cost and time.

# CREATE YOUR SHED



**TITAN**  
GARDEN BUILDINGS